

IMPORTANT INFORMATION ABOUT LEAD IN YOUR DRINKING WATER

July 2019

Contact us at 973-680-4009 to obtain a translated copy of the public education materials or to request assistance in the appropriate language.

“INFORMACIÓN IMPORTANTE SOBRE EL PLOMO EN EL AGUA POTABLE

Julio de 2019

Comuníquese con nosotros al 973-680-4009 para obtener una copia traducida de los materiales de educación pública o para solicitar asistencia en el idioma apropiado.

The Bloomfield Water Department found elevated levels of lead in drinking water in some homes/buildings. Lead can cause serious health problems, especially for pregnant women and young children. Please read this information closely to see what you can do to reduce lead in your drinking water.

This notice is being distributed to you and all customers of Bloomfield Water Department as a regulatory requirement. Under the Code of Federal Regulations for the Control of Lead and Copper, 40 CFR Part 141 Subpart I, Bloomfield Water Department is required to routinely sample for lead and copper at a minimum number of locations based on the population served.

We collected drinking water samples at 69 locations throughout the township during the monitoring period from January to June 2019. Eleven (11) of the 69 samples exceeded the lead action level of 15 parts per billion. Results can be found on our website and on NJ DEP Drinking Water (www9.state.nj.us/DEP_WaterWatch_public/index.jsp) by simply typing Bloomfield Water Department in the search window. This link is also available on the Bloomfield Township website at www.bloomfieldtwpnj.com/454/Water-Advisories-Information.

The 90th percentile value for our water system was 18 parts per billion which is greater than the lead action level of 15 parts per billion. The action level is the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow. This means Bloomfield Water Department must ensure that water results from the locations sampled do not exceed this level in at least 90 percent of the sites sampled (90th percentile result).

What Does This Mean?

Under the authority of the Safe Drinking Water Act, EPA set the action level for lead in drinking water at 15 ppb. This means utilities must ensure that water from the taps used for human consumption do not exceed this level in at least 90 percent of the sites sampled (90th percentile result). The action level is *the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow*. If water from the tap does exceed this limit, then the utility must take certain steps to correct the problem. Because lead may pose serious health risks, the EPA set a Maximum Contaminant Level Goal (MCLG) of zero for lead. The MCLG is *the*

level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Health effects of Lead

Lead can cause serious health problems if too much enters your body from drinking water or other sources. It can cause damage to the brain and kidneys, and can interfere with the production of red blood cells that carry oxygen to all parts of your body. The greatest risk of lead exposure is to infants, young children and pregnant women. Scientists have linked the effects of lead on the brain with lowered IQ in children. Adults with kidney problems and high blood pressure can be affected by low levels of lead more than healthy adults. Lead is stored in the bones, and it can be released later in life. During pregnancy, the child receives lead from the mother's bones, which may affect brain development.

In other words, it is the fetus that is at risk because developing fetuses receive lead from the mother's bones. Children and fetuses absorb more lead into their bodies than adults and are more susceptible to its effects on brain development; however, most children with elevated blood lead levels do not exhibit any symptoms, but effects may appear later in life.

Sources of Lead

Lead is a common metal found in the environment. Drinking water is one possible source of lead exposure. The main sources of lead exposure are lead-based paint and lead-contaminated dust or soil, and some plumbing materials. In addition, lead can be found in certain types of pottery, pewter, brass fixtures, cosmetics, imported spices and other food. Other sources include exposure in the work place and exposure from certain hobbies like shooting ranges and fishing (lead can be carried on clothing or shoes). Lead is found in some toys, some playground equipment, and some children's metal jewelry. *Tip: Wash your children's hands and toys often as they can come into contact with dirt and dust containing lead.*

Lead is unusual among drinking water contaminants in that it seldom occurs naturally in water supplies like rivers and lakes. Lead enters drinking water primarily as a result of the corrosion, or wearing away, of materials containing lead in the water distribution system and household plumbing. These materials include lead-based solder used to join copper pipe, brass and chrome-brass faucets, and in some cases, pipes made of or lined with lead.

When water remains in contact with lead pipes or plumbing materials containing lead over time, the lead may dissolve into your drinking water. **This means the first water drawn from the tap in the morning, or later in the afternoon if the water has not been used all day, may contain elevated levels of lead.**

- Homes and buildings in New Jersey built before 1988 are more likely to have lead pipes and/or lead solder.

- Service lines, which may also contain lead, are the individual pipes that run from the water main in the street to a home or building and consist of two portions. The first portion is the section of the service line from the water main to the curb stop and the second portion is the section from the curb stop to the home. Ownership of the service line varies by water system, but for Bloomfield Water Department the service line is owned partially by the water system and property owner.

New brass faucets, fittings, and valves, including those advertised as “lead-free”, may contribute lead to drinking water. The law currently allows end-use brass fixtures, such as faucets, with up to 0.25 percent lead to be labeled as “lead free”. However, prior to January 4, 2014, “lead free” allowed up to 8 percent lead content of the wetted surfaces of plumbing products including those labeled National Sanitation Foundation (NSF) certified. Consumers should be aware of this when choosing fixtures and take appropriate precautions.

EPA estimates that up to 20 percent of a person’s potential exposure to lead may come from drinking water. Infants who consume mostly formula mixed with lead-containing water can receive 40 to 60 percent of their exposure to lead from drinking water.

Steps you can take to reduce exposure to lead in drinking water

1. Determine if you have lead service line or interior lead plumbing or solder.

Property owners are encouraged to check their portion of the service lines for lead and we are asking you to contact us at 973-680-4009 if a lead service line is identified so we can update our records. If your home/building was constructed prior to 1988, it is also important to determine if interior lead solder or lead pipes are present. You can check yourself, hire a licensed plumber, or check with your landlord.

2. Replace plumbing fixtures and service lines containing lead. If there is a lead service line, replace it in full, from main to home. Contact 973-680-4009 or e-mail at engineering@bloomfieldtwpnj.com to learn more about replacing the lead service line on your property. The Bloomfield Water Department or a designated utility contractor, will replace lead service lines at no cost to the resident if they are discovered during routine construction or whenever a lead sample is returned with a level above fifteen parts per billion. If the line from the house to the curb is discovered to be lead, the township will also replace it at no cost to the resident.

Replace brass faucets, fittings, and valves that do not meet the current definition of “lead free.” The current definition went into effect January 4, 2014; therefore, any “lead free” plumbing materials purchased and/or installed prior to that date should be discarded or replaced. Visit the NSF website at www.nsf.org to learn more about lead-containing plumbing fixtures.

3. Run the cold water to flush out lead. Let the water run from the tap before using it for drinking or cooking any time the water in a faucet has gone unused for more than six hours. The longer the

water resides in plumbing the more lead it may contain. Flushing the tap means running the cold-water faucet for about 15-30 seconds. Although toilet flushing or showering flushes water through a portion of the plumbing system, you still need to flush the water in each faucet before using it for drinking or cooking. Flushing tap water is a simple and inexpensive measure you can take to protect your health. It usually uses less than one gallon of water. **For those with lead service lines or until you determine if you are served by one, let the water run from the tap longer based on the length of the lead service line and the plumbing configuration in your home. In other words, the larger the home or building and the greater the distance to the water main (in the street), the more water it will take to flush properly.**

4. Use cold water for cooking and preparing baby formula. Because lead from lead-containing plumbing materials and pipes can dissolve into hot water more easily than cold water, never drink, cook, or prepare beverages including baby formula using hot water from the tap. If you have not had your water sampled or if you know or suspect you have a lead service line it is recommended that bottled or filtered water be used for drinking and preparing baby formula. If you need hot water, draw water from the cold tap and then heat it.

5. Do not boil water to remove lead. Boiling water will not reduce lead.

6. Look for alternative sources or treatment of water. If there is confirmed or suspected lead-containing materials, such as lead service lines and/or interior lead plumbing or lead solder, in your home or building, you may consider purchasing bottled water or a water filter. The Township of Bloomfield is presently providing water filters at no cost to all residents. You can sign up for this program by contacting the Bloomfield Health Department at 973-680-4024.

If you do not wish to participate in this program and purchase a filter on your own, be sure the filter is approved to reduce lead or contact NSF International at 1-800-NSF-8010 or www.nsf.org for information on performance standards for water filters. Be sure to maintain and replace a filter device in accordance with the manufacturer's recommendations.

Water softeners and reverse osmosis units will remove lead from water but can also make the water more corrosive to lead solder and plumbing by removing certain minerals; therefore, the installation of these treatment units at the point of entry into homes with lead plumbing should only be done under supervision of a qualified water treatment professional.

7. Remove and clean aerators/screens on plumbing fixtures. Over time, particles and sediment can collect in the aerator screen. Regularly remove and clean aerators screens located at the tip of faucets and remove any particles.

8. Test your water for lead. Call us at 973-680-4009 to find out how to get your water tested for lead. Testing is essential because you cannot see, taste, or smell lead in drinking water. The

Bloomfield Health Department will sample your water at no cost if you suspect lead in your water and provide you with a free water filter.

9. Get your child tested. Contact your local health department or healthcare provider to find out how you can get your child tested for lead if you are concerned about lead exposure. Your family doctor or pediatrician can perform a blood test for lead and provide you with information about the health effects of lead. Wash your children's hands and toys often as they can come into contact with dirt and dust containing lead. New Jersey law requires that children be screened at both 1 and 2 years of age. Children 3 to 5 years of age should also be screened if they have not been screened before.

What Happened? What Is Being Done?

Bloomfield Water Department must evaluate the quality of the water as it enters the distribution system upon receipt from Newark Water Department as well as representative areas throughout the distribution system and take additional actions, as deemed necessary, to reduce lead levels.

Bloomfield Water Department presently purchases water from the City of Newark's Pequannock Water Treatment Facility. Bloomfield does not treat its water but receives it fully treated from the City of Newark. Based upon Newark also exceeding the lead action level, its corrosion control treatment is currently ineffective which may lead to elevated levels of lead in homes that have lead service lines, lead piping or plumbing. Those homes which do not have lead-containing materials meeting the lead-free definition should not experience elevated levels of lead. The City of Newark is presently working with the New Jersey Department of Environmental Protection (NJDEP) to evaluate their treatment process and reduce the corrosiveness of their water. Newark is currently implementing that plan.

The Bloomfield Water Department has implemented a proactive plan to replace all known lead service lines, when discovered, from the street to the building. This will reduce the potential for lead to be absorbed into your water supply. To date, the Township has replaced over (40) forty lead service lines and continues to check for lead service line locations either through routine construction work in the roadways, repair of service line leaks, and/or if we obtain a water sample with a high lead level. Our current findings indicate that the vast majority of lead piping is located on the street side of the house connection. If lead is found on the house side of the connection, the township will also replace the line at no cost to the resident. The Township currently executed a contract with Shauger Property Services, Inc. to replace an additional fifty (50) service connections along Clark Avenue and a few other locations. These service connections were discovered during recent gas line replacement by PSE&G and are located on the street side of the main. Any services on the house side of the main will also be replaced at no cost to the resident in the event they are uncovered during this construction. All residents involved in this project will receive notice several weeks prior to the start of this project. In 2019, the township will continue to check and replace lead service lines.

Bloomfield Water Department is continuing both monitoring efforts and public education about lead in drinking water.

Additional Information

For more information, call us at 973-680-4009 or via e-mail at engineering@bloomfieldtwpnj.com. For more information on reducing lead exposure around your home/building and the health effects of lead, visit EPA's website at, <http://www.epa.gov/lead> call the National Lead Information Center at 800-424-LEAD or Safe Drinking Water Act hotline at 1-800-426-4791, or contact your health care provider.

This notice is being sent to you by the Bloomfield Water Department, 1 Municipal Plaza, Bloomfield, NJ 07003; New Jersey Public Water Supply (NJPWS) Identification Number NJ0702001.

Date Notification was distributed via website: August 1, 2019

| | | | |
|--------------------|-----------------------------|--------------------|---------------|
| PWSID: | NJ0702001 | Water System Type: | Community (C) |
| Water System Name: | BLOOMFIELD WATER DEPARTMENT | System Status: | A |

| Lead/Copper Results for Monitoring Period: 01/01/2019--06/30/2019 | | | | | | | | | | | |
|-------------------------------------------------------------------|--------------|-----------|------------|---------------|---------------|---------------------------------------------|--------------|-----------|------------|---------------|---------------|
| Lead 69 Samples; 90th %ile: 0.018 MG/L | | | | | | Copper 69 Samples; 90th %ile: 0.212 MG/L | | | | | |
| Collection Date | Sample Pt ID | Sample #^ | Result | Analysis Date | Date Received | Collection Date | Sample Pt ID | Sample #^ | Result | Analysis Date | Date Received |
| 06/25/2019 | PBCU139 | 390628031 | 0.046 MG/L | 07/05/2019 | 07/09/2019 | 06/28/2019 | PBCU147 | 390702073 | 0.074 MG/L | 07/08/2019 | 07/12/2019 |
| 03/08/2019 | PBCU71 | 390312079 | 0.046 MG/L | 03/18/2019 | 03/22/2019 | 06/28/2019 | PBCU147 | 390702074 | 0.047 MG/L | 07/08/2019 | 07/12/2019 |
| 04/22/2019 | PBCU86 | 390425065 | 0.041 MG/L | 05/03/2019 | 05/10/2019 | 06/28/2019 | PBCU80 | 390702075 | 0.089 MG/L | 07/08/2019 | 07/12/2019 |
| 06/27/2019 | PBCU146 | 390628020 | 0.034 MG/L | 07/05/2019 | 07/09/2019 | 06/27/2019 | PBCU125 | 390628013 | 0.095 MG/L | 07/05/2019 | 07/09/2019 |
| 02/20/2019 | PBCU103 | 390222111 | 0.029 MG/L | 03/13/2019 | 04/09/2019 | 06/27/2019 | PBCU126 | 390628019 | 0.018 MG/L | 07/05/2019 | 07/09/2019 |
| 06/25/2019 | PBCU42 | 390628026 | 0.02 MG/L | 07/05/2019 | 07/09/2019 | 06/27/2019 | PBCU146 | 390628020 | 0.502 MG/L | 07/05/2019 | 07/09/2019 |
| 06/25/2019 | PBCU90 | 390628025 | 0.018 MG/L | 07/05/2019 | 07/09/2019 | 06/26/2019 | PBCU142 | 390628007 | 0.082 MG/L | 07/05/2019 | 07/09/2019 |
| 04/28/2019 | PBCU131 | 390507124 | 0.018 MG/L | 05/13/2019 | 06/05/2019 | 06/26/2019 | PBCU101 | 390628008 | 0.076 MG/L | 07/05/2019 | 07/09/2019 |
| 05/29/2019 | PBCU41 | 390604116 | 0.017 MG/L | 06/10/2019 | 06/18/2019 | 06/26/2019 | PBCU172 | 390628009 | 0.07 MG/L | 07/05/2019 | 07/09/2019 |
| 06/25/2019 | PBCU152 | 390628024 | 0.016 MG/L | 07/05/2019 | 07/09/2019 | 06/26/2019 | PBCU114 | 390628010 | 0.02 MG/L | 07/05/2019 | 07/09/2019 |
| 06/22/2019 | PBCU59 | 390628029 | 0.016 MG/L | 07/05/2019 | 07/09/2019 | 06/26/2019 | PBCU2 | 390628011 | 0.045 MG/L | 07/05/2019 | 07/09/2019 |
| 04/25/2019 | PBCU107 | 390507121 | 0.012 MG/L | 05/13/2019 | 05/20/2019 | 06/26/2019 | PBCU25 | 390628012 | 0.016 MG/L | 07/05/2019 | 07/09/2019 |
| 06/26/2019 | PBCU17 | 390628022 | 0.01 MG/L | 07/05/2019 | 07/09/2019 | 06/26/2019 | PBCU68 | 390628021 | 0.019 MG/L | 07/05/2019 | 07/09/2019 |
| 04/17/2019 | PBCU62 | 390425063 | 0.01 MG/L | 05/03/2019 | 05/10/2019 | 06/26/2019 | PBCU17 | 390628022 | 0.158 MG/L | 07/05/2019 | 07/09/2019 |
| 06/25/2019 | PBCU32 | 390628017 | 0.009 MG/L | 07/05/2019 | 07/09/2019 | 06/25/2019 | PBCU156 | 390628014 | 0.025 MG/L | 07/05/2019 | 07/09/2019 |
| 06/24/2019 | PBCU63 | 390625037 | 0.009 MG/L | 06/28/2019 | 07/09/2019 | 06/25/2019 | PBCU127 | 390628016 | 0.027 MG/L | 07/05/2019 | 07/09/2019 |
| 06/15/2019 | PBCU112 | 390619005 | 0.009 MG/L | 06/25/2019 | 07/08/2019 | 06/25/2019 | PBCU32 | 390628017 | 0.119 MG/L | 07/05/2019 | 07/09/2019 |
| 06/23/2019 | PBCU110 | 390625028 | 0.008 MG/L | 06/28/2019 | 07/09/2019 | 06/25/2019 | PBCU75 | 390628018 | 0.215 MG/L | 07/05/2019 | 07/09/2019 |
| 05/29/2019 | PBCU4 | 390604117 | 0.008 MG/L | 06/10/2019 | 06/18/2019 | 06/25/2019 | PBCU132 | 390628023 | 0.091 MG/L | 07/05/2019 | 07/09/2019 |
| 04/29/2019 | PBCU79 | 390507125 | 0.008 MG/L | 05/13/2019 | 05/20/2019 | 06/25/2019 | PBCU152 | 390628024 | 0.024 MG/L | 07/05/2019 | 07/09/2019 |
| 06/25/2019 | PBCU75 | 390628018 | 0.007 MG/L | 07/05/2019 | 07/09/2019 | 06/25/2019 | PBCU90 | 390628025 | 0.142 MG/L | 07/05/2019 | 07/09/2019 |
| 06/13/2019 | PBCU137 | 390619009 | 0.006 MG/L | 06/25/2019 | 07/08/2019 | 06/25/2019 | PBCU42 | 390628026 | 0.069 MG/L | 07/05/2019 | 07/09/2019 |
| 04/26/2019 | PBCU124 | 390507122 | 0.006 MG/L | 05/13/2019 | 05/20/2019 | 06/25/2019 | PBCU9 | 390628027 | 0.029 MG/L | 07/05/2019 | 07/09/2019 |
| 04/18/2019 | PBCU123 | 390425064 | 0.006 MG/L | 05/03/2019 | 05/10/2019 | 06/25/2019 | PBCU83 | 390628028 | 0.021 MG/L | 07/05/2019 | 07/09/2019 |
| 06/18/2019 | PBCU34 | 390619010 | 0.005 MG/L | 06/25/2019 | 07/08/2019 | 06/25/2019 | PBCU139 | 390628031 | 0.073 MG/L | 07/05/2019 | 07/09/2019 |
| 01/01/2019 | PBCU24 | 390107125 | 0.005 MG/L | 01/11/2019 | 02/04/2019 | 06/24/2019 | PBCU63 | 390625037 | 0.024 MG/L | 07/01/2019 | 07/09/2019 |
| 05/14/2019 | PBCU6 | 390514108 | 0.004 MG/L | 05/17/2019 | 06/04/2019 | 06/23/2019 | PBCU150 | 390628015 | 0.036 MG/L | 07/05/2019 | 07/09/2019 |
| 02/15/2019 | PBCU69 | 390222109 | 0.004 MG/L | 03/07/2019 | 03/15/2019 | 06/23/2019 | PBCU12 | 390628030 | 0.058 MG/L | 07/05/2019 | 07/09/2019 |
| 06/28/2019 | PBCU80 | 390702075 | 0.003 MG/L | 07/05/2019 | 07/12/2019 | 06/23/2019 | PBCU110 | 390625028 | 0.041 MG/L | 07/01/2019 | 07/09/2019 |
| 06/26/2019 | PBCU2 | 390628011 | 0.003 MG/L | 07/05/2019 | 07/09/2019 | 06/23/2019 | PBCU180 | 390625029 | 0.035 MG/L | 07/01/2019 | 07/09/2019 |
| 06/26/2019 | PBCU25 | 390628012 | 0.003 MG/L | 07/05/2019 | 07/09/2019 | 06/23/2019 | PBCU141 | 390625030 | 0.016 MG/L | 07/01/2019 | 07/09/2019 |
| 06/19/2019 | PBCU169 | 390625033 | 0.003 MG/L | 06/28/2019 | 07/09/2019 | 06/23/2019 | PBCU170 | 390625031 | 0.016 MG/L | 07/01/2019 | 07/09/2019 |
| 06/17/2019 | PBCU151 | 390619007 | 0.003 MG/L | 06/25/2019 | 07/08/2019 | 06/23/2019 | PBCU13 | 390625032 | 0.082 MG/L | 07/01/2019 | 07/09/2019 |
| 01/02/2019 | PBCU114 | 390107107 | 0.003 MG/L | 01/11/2019 | 02/04/2019 | | | | | | |

| Collection Date | Sample Pt ID | Sample #^ | Result | Analysis Date | Date Received | Collection Date | Sample Pt ID | Sample #^ | Result | Analysis Date | Date Received |
|-----------------|--------------|-----------|-------------|---------------|---------------|-----------------|--------------|-----------|------------|---------------|---------------|
| 06/27/2019 | PBCU125 | 390628013 | 0.002 MG/L | 07/05/2019 | 07/09/2019 | 06/22/2019 | PBCU59 | 390628029 | 0.132 MG/L | 07/05/2019 | 07/09/2019 |
| 06/26/2019 | PBCU114 | 390628010 | 0.002 MG/L | 07/05/2019 | 07/09/2019 | 06/21/2019 | PBCU74 | 390625026 | 0.074 MG/L | 07/01/2019 | 07/09/2019 |
| 06/25/2019 | PBCU83 | 390628028 | 0.002 MG/L | 07/05/2019 | 07/09/2019 | 06/21/2019 | PBCU129 | 390625027 | 0.093 MG/L | 07/01/2019 | 07/09/2019 |
| 06/23/2019 | PBCU13 | 390625032 | 0.002 MG/L | 06/28/2019 | 07/09/2019 | 06/21/2019 | PBCU60 | 390625034 | 0.055 MG/L | 07/01/2019 | 07/09/2019 |
| 06/21/2019 | PBCU74 | 390625026 | 0.002 MG/L | 06/28/2019 | 07/09/2019 | 06/20/2019 | PBCU66 | 390625035 | 0.177 MG/L | 07/01/2019 | 07/09/2019 |
| 06/21/2019 | PBCU60 | 390625034 | 0.002 MG/L | 06/28/2019 | 07/09/2019 | 06/19/2019 | PBCU169 | 390625033 | 0.049 MG/L | 07/01/2019 | 07/09/2019 |
| 06/20/2019 | PBCU66 | 390625035 | 0.002 MG/L | 06/28/2019 | 07/09/2019 | 06/19/2019 | PBCU22 | 390625036 | 0.024 MG/L | 07/01/2019 | 07/09/2019 |
| 06/18/2019 | PBCU149 | 390619008 | 0.002 MG/L | 06/25/2019 | 07/08/2019 | 06/18/2019 | PBCU149 | 390619008 | 0.135 MG/L | 06/27/2019 | 07/08/2019 |
| 04/22/2019 | PBCU160 | 390425059 | 0.002 MG/L | 05/03/2019 | 05/10/2019 | 06/18/2019 | PBCU34 | 390619010 | 0.034 MG/L | 06/27/2019 | 07/08/2019 |
| 04/22/2019 | PBCU3 | 390425062 | 0.002 MG/L | 05/03/2019 | 05/10/2019 | 06/17/2019 | PBCU151 | 390619007 | 0.046 MG/L | 06/27/2019 | 07/08/2019 |
| 01/03/2019 | PBCU69 | 390107123 | 0.002 MG/L | 01/11/2019 | 02/04/2019 | 06/15/2019 | PBCU112 | 390619005 | 0.026 MG/L | 06/27/2019 | 07/08/2019 |
| 06/27/2019 | PBCU126 | 390628019 | 0.001 MG/L | 07/05/2019 | 07/09/2019 | 06/13/2019 | PBCU137 | 390619009 | 0.02 MG/L | 06/27/2019 | 07/08/2019 |
| 06/26/2019 | PBCU142 | 390628007 | 0.001 MG/L | 07/05/2019 | 07/09/2019 | 05/29/2019 | PBCU41 | 390604116 | 0.152 MG/L | 06/10/2019 | 06/18/2019 |
| 06/26/2019 | PBCU101 | 390628008 | 0.001 MG/L | 07/05/2019 | 07/09/2019 | 05/29/2019 | PBCU4 | 390604117 | 0.04 MG/L | 06/10/2019 | 06/18/2019 |
| 06/25/2019 | PBCU127 | 390628016 | 0.001 MG/L | 07/05/2019 | 07/09/2019 | 05/15/2019 | PBCU77 | 390516076 | 0.023 MG/L | 05/30/2019 | 06/04/2019 |
| 06/25/2019 | PBCU132 | 390628023 | 0.001 MG/L | 07/05/2019 | 07/09/2019 | 05/14/2019 | PBCU6 | 390514108 | 0.045 MG/L | 05/30/2019 | 06/04/2019 |
| 06/25/2019 | PBCU9 | 390628027 | 0.001 MG/L | 07/05/2019 | 07/09/2019 | 04/29/2019 | PBCU8 | 390507123 | 0.175 MG/L | 05/09/2019 | 05/20/2019 |
| 06/23/2019 | PBCU150 | 390628015 | 0.001 MG/L | 07/05/2019 | 07/09/2019 | 04/29/2019 | PBCU79 | 390507125 | 0.052 MG/L | 05/09/2019 | 05/20/2019 |
| 06/23/2019 | PBCU141 | 390625030 | 0.001 MG/L | 06/28/2019 | 07/09/2019 | 04/28/2019 | PBCU131 | 390507124 | 0.185 MG/L | 05/09/2019 | 06/05/2019 |
| 06/21/2019 | PBCU129 | 390625027 | 0.001 MG/L | 06/28/2019 | 07/09/2019 | 04/26/2019 | PBCU124 | 390507122 | 0.022 MG/L | 05/09/2019 | 05/20/2019 |
| 05/15/2019 | PBCU77 | 390516076 | 0.001 MG/L | 05/20/2019 | 06/04/2019 | 04/25/2019 | PBCU107 | 390507121 | 0.044 MG/L | 05/09/2019 | 05/20/2019 |
| 04/18/2019 | PBCU11 | 390425060 | 0.001 MG/L | 05/03/2019 | 05/10/2019 | 04/22/2019 | PBCU160 | 390425059 | 0.305 MG/L | 05/01/2019 | 05/10/2019 |
| 06/28/2019 | PBCU147 | 390702073 | <0.001 MG/L | 07/05/2019 | 07/12/2019 | 04/22/2019 | PBCU3 | 390425062 | 0.145 MG/L | 05/01/2019 | 05/10/2019 |
| 06/28/2019 | PBCU147 | 390702074 | <0.001 MG/L | 07/05/2019 | 07/12/2019 | 04/22/2019 | PBCU86 | 390425065 | 0.16 MG/L | 05/01/2019 | 05/10/2019 |
| 06/26/2019 | PBCU172 | 390628009 | <0.001 MG/L | 07/05/2019 | 07/09/2019 | 04/18/2019 | PBCU11 | 390425060 | 0.207 MG/L | 05/01/2019 | 05/10/2019 |
| 06/26/2019 | PBCU68 | 390628021 | <0.001 MG/L | 07/05/2019 | 07/09/2019 | 04/18/2019 | PBCU123 | 390425064 | 0.064 MG/L | 05/01/2019 | 05/10/2019 |
| 06/25/2019 | PBCU156 | 390628014 | <0.001 MG/L | 07/05/2019 | 07/09/2019 | 04/17/2019 | PBCU62 | 390425063 | 0.103 MG/L | 05/01/2019 | 05/10/2019 |
| 06/23/2019 | PBCU12 | 390628030 | <0.001 MG/L | 07/05/2019 | 07/09/2019 | 04/17/2019 | PBCU128 | 390425061 | 0.026 MG/L | 05/01/2019 | 06/05/2019 |
| 06/23/2019 | PBCU180 | 390625029 | <0.001 MG/L | 06/28/2019 | 07/09/2019 | 03/08/2019 | PBCU71 | 390312079 | 0.189 MG/L | 03/14/2019 | 03/22/2019 |
| 06/23/2019 | PBCU170 | 390625031 | <0.001 MG/L | 06/28/2019 | 07/09/2019 | 02/27/2019 | PBCU29 | 390306019 | 0.16 MG/L | 03/13/2019 | 03/26/2019 |
| 06/19/2019 | PBCU22 | 390625036 | <0.002 MG/L | 06/28/2019 | 07/09/2019 | 02/20/2019 | PBCU103 | 390222111 | 0.665 MG/L | 02/28/2019 | 04/09/2019 |
| 04/29/2019 | PBCU8 | 390507123 | <0.001 MG/L | 05/13/2019 | 05/20/2019 | 02/15/2019 | PBCU69 | 390222109 | 0.271 MG/L | 02/28/2019 | 03/15/2019 |
| 04/17/2019 | PBCU128 | 390425061 | <0.001 MG/L | 05/03/2019 | 06/05/2019 | 01/03/2019 | PBCU69 | 390107123 | 0.212 MG/L | 01/10/2019 | 02/04/2019 |
| 02/27/2019 | PBCU29 | 390306019 | <0.001 MG/L | 03/15/2019 | 03/26/2019 | 01/02/2019 | PBCU27 | 390107105 | 0.051 MG/L | 01/09/2019 | 02/04/2019 |
| 01/02/2019 | PBCU27 | 390107105 | <0.001 MG/L | 01/11/2019 | 02/04/2019 | 01/02/2019 | PBCU114 | 390107107 | 0.254 MG/L | 01/09/2019 | 02/04/2019 |
| | | | | | | 01/01/2019 | PBCU24 | 390107125 | 0.226 MG/L | 01/10/2019 | 02/04/2019 |

^Rollover sample # to see lab name and ID and METHOD

*MG/L=milligrams of contaminant per liter of water, equivalent to ppm (parts per million).

$\mu\text{g/L}$ =micrograms of contaminant per liter of water, equivalent to ppb (parts per billion).

pCi/L =picocuries of contaminant per liter of water--a curie is a measurement of the rate at which a radioactive material decays.

"<" (less than) means the contaminant cannot be accurately detected below the limit specified; the result can be considered zero.